

Key Papers on Sap Flow

Enrique Fernández. ISHS Working Group on Sap Flow. February 2017

Please feel free of sending us new references to complete the list below

(send to Dr. J.E. Fernández, jefer@irnase.csic.es)

Sap flow methods

Baker JM, van Bavel CHM 1987 Measurement of mass flow of water in the stems of herbaceous plants. *Plant Cell Environ* 10: 777-782.

Balek J., Pavlik O 1977 Sap stream velocity as an indicator of the transpirational process. *J. of Hydrol.* 34: 193-200.

Becker P 1998 Limitations of a compensation heat pulse velocity system at low sap flow: implications for measurements at night and in shaded trees. *Tree Physiol* 18:177-184.

Burgess SSO, Adams MA, Turner NC, Beverly CR, Ong CK, Khan AAH, Bleby TM. 2001. An improved heat pulse method to measure low and reverse rates of sap flow in woody plants. *Tree Physiol* 21:589-598.

Cabibel B, Do F 1991. Mesures thermiques des flux de sève dans les troncs et les racines et fonctionnement hydrique des arbres: I. Analyse théorique des erreurs sur la mesure des flux et validation des mesures en présence de gradients thermiques extérieurs. *Agronomie*, 11: 669-678

Campbell GS 1991 An overview of methods for measuring sap flow in plants. In: *Collected summaries of papers at the 83rd annual meeting of the American Society of Agronomy, Division A-3: Agroclimatology and agronomic modelling.* (p.2-3), Denver, Colorado, Oct.27-Nov.2, 1991.

Čermák J, Deml J, Penka M 1973 A new method of sap flow rate determination in trees. *Biol Plant* 15:171-178.

Čermák J, Jeník J, Kucera J, Zidek V 1984 Xylem water flow in a crack willow tree (*Salix fragilis* L.) in relation to diurnal changes of environment. *Oecologia (Berlin)* 64: 145-151.

Čermák J 1995 Methods for studies of water transport in trees, especially the stem heat balance and scaling. In: *Proc. 32th Course in Applied Ecology*, San Vito di Cadore, University of Padova, Italy, Sept.4-8,1995.

Čermák J, Nadezhdina N 1998a Sapwood as the scaling parameter - defining according to xylem water content or radial pattern of sap flow? *Ann.Sci.For.*55: 509-521.

Čermák J, Nadezhdina N 1998b Brief review of present techniques used for sap flow measurements in intact plants. Proc. 4th. International Workshop on Measuring Sap Flow in Intact Plants. Židlochovice, Czech Republic, Oct.3-5,1998. 4-11 pp. IUFRO Publications. Publishing house of Mendel Univ.Brno

Čermák J, Kučera J, Nadezhdina N 2004 Sap flow measurements with some thermodynamic methods, flow integration within trees and scaling up from sample trees to entire forest stands. *Trees* 18:529-546.

Chandra S, Lindsey PA, Bassuk NL 1994 A gauge to measure the mass flow rate of water in trees. *Plant Cell Environ* 17:867-874.

Cohen Y, Fuchs M, Green GC 1981 Improvement of the heat-pulse method for determining sap flow in trees. *Plant Cell Environ* 4:391-397.

Daum CR 1967 A method for determining water transport in trees. *Ecology* 48(3): 425-431.

Do FC, Isarangkool Na Ayutthaya S, Rocheteau A 2011. Transient thermal dissipation method of xylem sap flow measurement: implementation with a single probe. *Tree Physiol*, 31: 369-380.

Do F, Rocheteau A 2002a. Influence of natural temperature gradients on measurements of xylem sap flow with thermal dissipation probes. 1. Fields observations and possible remedies. *Tree Physiol*, 22: 641-648.

Do F, Rocheteau A 2002b. Influence of natural temperature gradients on measurements of xylem sap flow with thermal dissipation probes. 2. Advantages and calibration of a non continuous heating system. *Tree Physiol*, 22: 649-654.

Granier A 1985 Une nouvelle méthode pour la mesure du flux de sève brute dans le tronc des arbres. *Annales des Sciences Forestières* 42:193-200.

Green SR 1998 Measurements of sap flow by the heat-pulse method. An Instruction Manual for the HPV system. HortResearch internal Report IR98.

Green SR, Clothier BE 1988 Water use of kiwifruit vines and apple trees by the heat-pulse technique. *J Exp Bot* 39:115-123.

Green SR, Clothier BE, Jardine B 2003 Theory and practical application of heat-pulse to measure sap flow. *Agron J* 95:1371-1379

Huber B 1932 Beobachtung und Messung pflanzlicher Saftströme. *Ber Dt Bot Ges* 50:89-109.

Isarangkool Na Ayutthaya S, Do FC, Pannengpetch K, Junjittakarn J, Maeght J-L, Rocheteau A, Cochard H 2010. Transient thermal dissipation method of xylem sap flow measurement: multi-species calibration and field evaluation. *Tree Physiol* 30: 139-148.

- Ittner E 1968 Der Tagesgang der Geschwindigkeit des Transpirationsstromes im Stamm einer 75-jährigen Fichte. Oecol. Plant., III: 177-183.
- Kostner B, Granier A, Cermak J 1998 Sap flow measurements in forest stands-methods and uncertainties. Ann. Sci. For. 55: 13-27.
- Kučera J, Čermák J, Penka M 1977 Improved thermal method of continual recording the transpiration flow rate dynamics. Biol Plant 19:413-420.
- Lindroth A, Čermák J, Kucera J, Cienciala E, Eckersten H 1995 Sap flow by the heat balance method applied to a small size Salix-trees in a short-rotation forest: A pilot study at the central NOPEX site. J Hydrol. 168: 17-27.
- Marshall DC 1958 Measurement of sap flow in conifers by heat transport. Plant Physiol 33:385-396.
- Nadezhdina N 1999 Sap flow index as an indicator of plant water status. Tree Physiol 19:885-891
- Nadezhdina N, Čermák J, Ceulemans R 2002 radial pattern of sap flow in woody stems of dominant and understory species: scaling errors associated with positioning of sensors. Tree Physiol 22:907-918.
- Nadezhdina N, Čermák J, Nadezhdin V 1998 Heat field deformation method for sap flow measurements. p. 72-92. In: J. Čermak and N. Nadezhdina (eds.), Measuring Sap Flow in Intact Plants, IUFRO Publications, Publishing House of Mendel University, Brno (Czech Republic).
- Nadezhdina N, Ferreira MI, Silva R, Pacheco CA 2008 Seasonal variation of water uptake of a *Quercus suber* tree in Central Portugal. Plant Soil 305:105-119.
- Reyes-Acosta JL, Vandegehuchte M W, Steppe K, Lubczynski MW 2012 Novel, cyclic thermal dissipation (CHD) method for the correction of natural temperature gradients in sap flow measurements. Part 2. Laboratory validation. Tree Physiol 32: 930-942.
- Sakuratani T 1981 A heat balance method for measuring water flux in the stem of intact plants. J Agric Meteorol 37:9-17.
- Senock RS, Ham JM 1993 Heat balance sap flow gauge for small diameter stems. Plant Cell Environ 16:593-601.
- Smith DM, Allen SJ 1996 Measurement of sap flow in plant stems. J. Exp. Bot. 47 (305): 1833-1844.
- Steinberg SL, van Bavel CHM, McFarland MJ 1990 Improved sap flow gauge for woody and herbaceous plants. Agronomy J. 82:851-854.
- Swanson RH 1994 Significant historical development in thermal methods for measuring sap flow in trees. Agricultural and Forest Meteorology 72:113-132.

Testi L, Villalobos F 2009 New approach for measuring low sap velocities in trees. *Agr For Meteorol* 149:730-734.

Tatarinov F, Kucera J, Cienciala E 2005 The analysis of physical background of tree sap flow measurements based on thermal methods. *Meas.Sci.Technol.* 16: 1157-1169.

Valancogne C, Nasr Z 1989 Measuring sap flow in the stem of small trees by a heat balance method. *HortSci* 24:383-385.

Vieweg GH, Ziegler H 1960 Thermoelektrische Registrierung der Geschwindigkeit des Transpirationsstromes I. *Dtsch Bot Ges Ber* 73:221-226.

Vandegehuchte MW, Steppe K 2012 Sapflow+: a four-needle heat-pulse sap flow sensor enabling nonempirical sap flux density and water content measurements. *New Phytol* 196:306-317.

Vandegehuchte MW, Steppe K 2012. Improving sap flux density measurements by correctly determining thermal diffusivity, differentiating between bound and unbound water. *Tree Physiol* 32:930-942.

Vandegehuchte MW, Steppe K 2012 Interpreting the Heat Field Deformation method: Erroneous use of thermal diffusivity and improved correlation between temperature ratio and sap flux density. *Agric For Meteorol* 162-163:91-97.

Vandegehuchte MW, Steppe K 2012 A triple-probe heat-pulse method for measurement of thermal diffusivity in trees. *Agric For Meteorol* 160:90-99.

Vandegehuchte MW, Steppe K 2012 Use of the correct heat conduction-convection equation as basis for heat-pulse sap flow methods in anisotropic wood. *J Exp Botany* 63: 2833-2839.

Weibel FP, Vos JA 1994 Transpiration measurements on apple trees with an improved stem heat balance method. *Plant Soil* 166:203-219.

Comparative assessment of methods

Ameglio T, Archer P, Daudet F-A, Ferreira MI 1993 Comparaison de trois méthodes de mesure de la transpiration de jeunes arbres. *Agronomie* 13:751-759.

Bleby TM, Burgess SSO, Adams MA 2004 A validation, comparison and error analysis of two heat-pulse methods for measuring sap flow in *Eucalyptus marginata* saplings. *Functional Plant Biology* 31:645-658.

Braun P 1997 Sap flow measurement in fruit trees - advantages and shortfalls of currently used systems. *Acta Hort* 449:267-272.

Burgess SSO, Adams MA, Turner NC, Beverly CR, Ong CK, Khan AAH, Bleby TM. 2001. An improved heat pulse method to measure low and reverse rates of sap flow in woody plants. *Tree Physiol* 21:589-598.

Čermák J, Kučera J, Nadezhdina N 2004 Sap flow measurements with some thermodynamic methods, flow integration within tree and scaling up from sample trees to entire forest stands. *Trees* 18:529-546.

Čermák J, Nadezhdina N 1998 Sapwood as the scaling parameter-defining according to xylem water content or radial pattern of flow? *Ann Sci For* 55:509-521.

Ferreira MI, Paço TA, Silvestre J, Silva RM 2008 Evapotranspiration estimates and water stress indicators for irrigation scheduling in woody plants. In: *Agricultural Water Management Research Trends*. Ed. Magnus L. Sorensen. Nova Science Publishers, Inc., New York, USA: 129-170.
(https://www.novapublishers.com/catalog/product_info.php?products_id=6658).

Ferreira MI, Silvestre J, Paço TA 2004 Combining techniques to study evapotranspiration in woody crops: application to small areas – two case studies. *Acta Hort* 664: 225-232.

González-Altozano P, Pavel EW, Oncins JA, Doltra J, Cohen M, Paço T, Massai R, Castel JR 2008 Comparative assessment of five methods of determining sap flow in peach trees. *Agric Water Manage* 95:503-515.

Grime VL, Sinclair FL 1999 Sources of error in stem heat balance sap flow measurements. *Agric For Meteorol* 94:103-121.

Ishida T, Campbell GS, Calissendorff C 1991 Improved heat balance method for determining sap flow rate. *Agric For Meteorol* 56:35-48.

Jones HG, Hamer PJC and Higgs KH 1988 Evaluation of various heat-pulse methods for estimation of sap flow in orchard trees: comparison with micrometeorological estimates of evaporation. *Trees* 2:250-260.

Köstner B, Granier A, Čermák J 1998 Sap flow measurements in forest stands: methods and uncertainties. *Ann Sci For* 55:13-27.

Loustau D, Berbigier P, Roumagnac P, Pacheco CA, David JS, Ferreira MI, Pereira JS, Tavares R 1996 Transpiration of a 64 year-old Maritime Pine stand in Portugal: 1-Seasonal course of water flux. *Oecologia* 107:33-42.

Silva RM, Paço TA, Ferreira MI, Oliveira M 2008 Transpiration of a kiwifruit orchard estimated using the Granier sap flow method calibrated under field conditions. *Acta Hort* 792: 593-600
(http://www.actahort.org/books/792/792_70.htm).

Smith DM, Allen SJ 1997 Measurement of sap flow in plant stems. *J Exp Bot* 47:1833-1844.

Steppe K, De Pauw DJW, Doody TM, Teskey RO 2010 A comparison of sap flux density using thermal dissipation, heat pulse velocity and heat field deformation methods. *Agric For Meteorol* 150:1046-1056.

Swanson RH 1994 Significant historical developments in thermal methods for measuring sap flow in trees. *Agric For Meteorol* 72:113-132.

Testi L, Villalobos F 2009 New approach for measuring low sap velocities in trees. *Agric For Meteorol* 149:730-734.

Tatarinov FA, Kučera J, Cienciala E 2005 The analysis of physical background of tree sap flow measurement based on thermal methods. *Meas Sci Technol* 16:1157-1169.

Zhang J, Kirkham MB 1995 Sap flow in a dicotyledon (sunflower) and a monocotyledon (sorghum) by the heat-balance method. *Agron J* 87:1106-1114.

Vandegehuchte MW, Steppe K 2013 Sap flux density measurement methods: working principles and applicability. *Functional Plant Biology* (<http://dx.doi.org/10.1071/FP12233>).

Wullschleger SD, Meinzer FC, Vertessy RA 1998 A review of whole-plant water use studies in trees. *Tree Physiol* 18:499-512.

Nomenclature, units and symbols

Edwards WRN, Becker P, Čermák J 1996 A unified nomenclature for sap flow measurements. *Tree Physiol* 17:65-67.

Lemur R, Fernández JE, Steppe K. 2009. Symbols, SI units and Physical Quantities within the scope of sap flow studies. *Acta Hort* 846:21-32.

Calibration

Fernández JE, Durán PJ, Palomo MJ, Díaz-Espejo A, Chamorro V, Girón IF 2006 Calibration of sap flow measurements by the compensation heat-pulse method in olive, plum and orange trees: relations with xylem anatomy. *Tree Physiol* 26:719-728.

Fernández JE, Palomo MJ, Díaz-Espejo A, Clothier BE, Green SR, Girón IF, Moreno F 2001 Heat-pulse measurements of sap flow in olives for automating irrigation: tests, root flow and diagnostics of water stress. *Agric Water Manage* 51:99-123

Green SR, Clothier BE, Jardine B 2003 Theory and practical application of heat-pulse to measure sap flow. *Agron J* 95:1371-1379

Irrigation scheduling

Fernández JE, Palomo MJ, Díaz-Espejo A, Clothier BE, Green SR, Girón IF, Moreno F 2001 Heat-pulse measurements of sap flow in olives for automating irrigation: tests, root flow and diagnostics of water stress. *Agric Water Manage* 51:99-123.

Fernández JE, Romero R, Montaña JC, Diaz-Espejo A, Muriel JL, Cuevas MV, Moreno F, Girón IF, Palomo MJ 2008 Design and testing of an automatic irrigation controller for fruit tree orchards, based on sap flow measurements. *Aust J Agr Res* 59:589-598

Jones HG 2004 Irrigation scheduling: advantages and pitfalls of plant-based methods. *J Exp Bot* 407:2427-2436.

Nadezhdina N 1999 Sap flow index as an indicator of plant water status. *Tree Physiol* 19:885-891

Nadezhdina N, Čermák J 1997 Automatic control unit for irrigation systems based on sensing the plant water status. *An Inst Sup Agronom* 46:149-157.